

MOTORIZED HOPPER CART



MOTORIZED HOPPER CART



SPECIFICATIONS MODEL SHOWN

Capacity	400 lbs.
Tub Capacity	13.5 cubic feet
Overall Weight	164 lbs.
Speed (fwd & rev)	0-3 mph variable
Voltage	24 Volts DC
Range (Continuous/Intermittent)	6-9 hours
Recharge Time	3-6 hours


MODEL SHOWN MHCSAB

DIMENSIONS



Chassis Only
Model MHCSA
(shown with 10992 tires)

TUB OPTIONS



P/N	CAP. (LBS.)	VOL. (CU. FT.)	WT. (LBS.)
460225	250	6	18

P/N	CAP. (LBS.)	VOL. (CU. FT.)	WT. (LBS.)
460226	400	13.5	34

P/N	CAP. (LBS.)	VOL. (CU. FT.)	WT. (LBS.)
460227	750	27	58

OVERALL DIMENSIONS - CHASSIS AND TUB

L"	W"	H"
56	25	40

L"	W"	H"
68	27	45

L"	W"	H"
81	33	51

DRIVE WHEEL OPTIONS



P/N	D"	WT.(LBS.)
10993	13	10

Foam filled tire is maintenance free.



P/N	D"	WT.(LBS.)
10992	13	8

Tube-type pneumatic tire.



P/N	D"	WT.(LBS.)
10995L 10995R	13	8

Tube-type pneumatic tire with aggressive tread pattern.




P/N	D"	WT.(LBS.)
10100L 10100R	13	18

Tube-type dual pneumatic tires with aggressive tread pattern. Increases truck overall width to 33.5".

MOTORIZED HOPPER CART

POWERED EQUIPMENT FEATURES



MOTORIZED HOPPER CART



PERFECT FOR MOVING JUST ABOUT ANYTHING, INCLUDING:

- Mulch, soil, gravel
- Lawn and garden equipment
- Horse and barn equipment
- Refuse
- Bulky, oversized loads

MAGLINER®
magliner.com

📍 Magline, Inc.
1205 West Cedar Street | Standish, MI 48658
☎ 1.800.MAGLINE (624.5463)
(989) 512.1000 (Outside U.S. & Canada)
📠 Fax: (989) 803.5941