



# SCIENCE LAB TABLES

Full line of science tables made for the most rugged environments.



**Wood Tables**  
Series



**Steel Tables**  
Series



**Signature Tables**  
Series



**Designer Tables**  
Series



# PRODUCT INFO

## WOOD TABLES



Tops available in HPL, Chem-Res, Phenolic, Whiteboard, Epoxy\*, and Trespa

*\*Epoxy tables should not be used with casters.*

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include stretchers and braces. Additional 3.5" Height when ordered with Casters.



Rubber Boots  
Protect Against Spills



Legs Attach W/ Metal  
on Metal Double Bolt  
Assembly on 13-Gauge  
Steel Corner Braces



Solid Ash Frame  
And Legs



Adjustable Glides  
for Accurate Floor  
Leveling



Available  
With Book  
Compartments



Optional Heavy Duty  
3" Locking Casters and  
Stretchers and Braces



products meet  
or exceed applicable  
ANSI/BIFMA standards

## STEEL TABLES



Tops available in HPL, Chem-Res, Phenolic, Epoxy\*, and Trespa

*\*Epoxy tables should not be used with casters.*

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include stretchers and braces. Additional 3.5" Height when ordered with Casters.



Corner Brackets  
Bolted Onto Frame



Welded 12-Gauge  
Leg Top Plate



11-Gauge Welded  
Support Brackets



Leveling Glides Can Add  
up to 3/4" Height to Table



Dual-Side Leg  
Connection



Adjustable Legs  
Adjust in 1"  
Increments



16-Gauge  
Channel Frame



Optional Heavy-Duty  
3" Casters and  
Gussets Available



products meet  
or exceed applicable  
ANSI/BIFMA standards



# PRODUCT INFO

## SIGNATURE TABLES



Available With Book  
Compartments



Aprons Made of  
Solid Ash



Aprons Reinforced  
With 13" Gauge  
Steel Corner  
Brackets



Legs Adjust in 3/4"  
Increments from  
27"-42" H With  
Included Spacer



11-Gauge Leg-  
Bases Fastened to  
Tabletop With 6  
Heavy-Duty Screws



Legs Come Standard  
With Simple-Adjust  
Glides for Accurate  
Floor Leveling




Optional Casters  
Available for  
Lightweight Use



Tops available  
in HPL, Chem-Res, Phenolic.

**Table can easily  
be set on an incline for  
physics experiments.**

## DESIGNER TABLES



1.2" Thick  
Reinforcement Board  
Under Tabletops for  
Added Strength



Legs Adjust in 3/4"  
Increments from  
27"-42" H With  
Included Spacer



11-Gauge Leg-  
Bases Fastened to  
Tabletop With 6  
Heavy-Duty Screws



Legs Come Standard  
With Simple-Adjust  
Glides for Accurate  
Floor Leveling



Optional Casters  
Available for  
Lightweight Use



Tops available in HPL, Chem-Res, Phenolic,  
Butcherblock, and Whiteboard

**Table can easily  
be set on an incline for  
physics experiments.**

# MODEL NUMBER INFO

## TABLE TOP OPTIONS



**BUTCHER BLOCK**



**WHITEBOARD**



**HPL**



**CHEM-RES**



**PHENOLIC**



**EPOXY**



**TRESPA**

|                                                                                                                                                                                                                                                        |                                                                                                                                                                                                          |                                                                                                                                                                                                 |                                                                                                                                                                                             |                                                                                                                                                    |                                                                                                                                               |                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>CORE MATERIAL</b><br>Solid Hard Maple<br>Edge Grain<br><b>FINISH</b><br>Proprietary Urethane-Based Satin Finish<br><i>(See next page for warranty, finish options and care instructions)</i><br><b>EDGE</b><br>Square<br><b>THICKNESS</b><br>1 3/4" | <b>CORE MATERIAL</b><br>Industrial Grade Particleboard with High-Pressure Laminate (HPL) Whiteboard<br><b>FINISH</b><br>Gloss Finish<br><b>EDGE</b><br>3mm PVC Edgebanding<br><b>THICKNESS</b><br>1 1/4" | <b>CORE MATERIAL</b><br>Industrial Grade Particleboard with High-Pressure Laminate<br><b>FINISH</b><br>Black, Matte Finish<br><b>EDGE</b><br>Rounded Vinyl T-Mold<br><b>THICKNESS</b><br>1 1/8" | <b>CORE MATERIAL</b><br>Industrial Grade Particleboard with Chemical Resistant Laminate<br><b>FINISH</b><br>Black, Matte Finish<br><b>EDGE</b><br>3mm Edgebanding<br><b>THICKNESS</b><br>1" | <b>CORE MATERIAL</b><br>Solid Phenolic Resin<br><b>FINISH</b><br>Black, Matte Finish<br><b>EDGE</b><br>1/8" Bevel Edge<br><b>THICKNESS</b><br>3/4" | <b>CORE MATERIAL</b><br>Solid Epoxy Resin<br><b>FINISH</b><br>Black, Matte Finish<br><b>EDGE</b><br>1/8" Bevel Edge<br><b>THICKNESS</b><br>1" | <b>CORE MATERIAL</b><br>Cellulose<br><b>FINISH</b><br>Black, Matte Finish<br><b>EDGE</b><br>1/8" Bevel Edge<br><b>THICKNESS</b><br>3/4" |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

Custom Color Options Available!

Note: Not to be used with casters

| Model# | Description                              |
|--------|------------------------------------------|
| SLT1   | 30"H WOOD TABLE                          |
| SLT2   | 36"H WOOD TABLE                          |
| SLT3   | HEIGHT ADJUSTABLE STEEL TABLE, BLACK     |
| SLT4   | SIGNATURE TABLE W/ BLACK LEGS            |
| SLT5   | SIGNATURE TABLE W/ OAK LEGS              |
| SLT6   | DESIGNER TABLE                           |
| SLT7   | FIXED HEIGHT STEEL TABLE, BLACK          |
| SLT8   | HEIGHT ADJUSTABLE STEEL TABLE, SOFT GREY |
| SLT9   | FIXED HEIGHT STEEL TABLE, SOFT GREY      |

| Size | Description | Size | Description |
|------|-------------|------|-------------|
| 2430 | 24" x 30"   | 3030 | 30" x 30"   |
| 2448 | 24" x 48"   | 3060 | 30" x 60"   |
| 2454 | 24" x 54"   | 3072 | 30" x 72"   |
| 2460 | 24" x 60"   | 4260 | 42" x 60"   |
| 2472 | 24" x 72"   | 4272 | 42" x 72"   |

Available in all frames

Available in SLT1, 2, 3, 7, 8, & 9

Custom sizes available upon request.

\* Quickship tables available, choose from tops H, C, & P

° Quickship tables available, choose from tops B, W, H, C, P

\*\* Quickship tables available, choose from tops C

| Top | Description                                    |
|-----|------------------------------------------------|
| H   | HIGH-PRESSURE LAMINATE                         |
| C   | CHEM-RES                                       |
| P   | PHENOLIC                                       |
| E   | EPOXY <i>Note: Not to be used with casters</i> |
| T   | TRESPA                                         |
| W   | WHITEBOARD                                     |
| B   | BUTCHERBLOCK                                   |

Available with all frames

Available with SLT1, 2, & 6

Available with SLT1, 2, 3, 7, 8 & 9

Available with SLT6

## ALL TABLES COME WITH LEVELING GLIDES OPTIONAL CASTERS AVAILABLE

| ADD-ON | Description                                                                                                                   |
|--------|-------------------------------------------------------------------------------------------------------------------------------|
| B      | ADD BOOK BOXES<br><i>only for SLT1, SLT2, SLT4, &amp; SLT5</i>                                                                |
| C      | ADD CASTERS & STRETCHERS/GUSSETS<br><i>Stretchers included for SLT1 &amp; SLT2<br/>Gussets included for SLT3, 7, 8, and 9</i> |

## Model Number Configuration

Model Number      Size      Add-Ons

**SLT1 - 2448 H BC**

Top Material



## Custom Phenolics

### Black Core Phenolic

MOQ, upcharge and extended lead time apply



PFG705



PFS729



PBW954



PMO829



PAL029



PFO9435



PLG0428



PGS3978



PSR938



PNB6697



PSO5328



PEA2435



PPU858



PMJ1578



PNB969

### Color Thru Phenolic

MOQ, upcharge and extended lead time apply



PB909CT



PNB969CT



PMO829CT



PMJ1578CT

## Butcherblock Finishing Options

### STANDARD



Urethane-Based Satin Finish

Code: BB

|               |                                         |
|---------------|-----------------------------------------|
| CORE MATERIAL | Solid Hard Maple Edge Grain Top         |
| FINISH        | Proprietary Urethane-Based Satin Finish |
| EDGE          | Long Edge Beveled • Square Ends         |
| THICKNESS     | 1.75"                                   |
| FOOD SAFE     | Yes                                     |

|             |                                                              |
|-------------|--------------------------------------------------------------|
| MAINTENANCE | Recommended to re-finish every 2-3 weeks depending on usage. |
|-------------|--------------------------------------------------------------|



Refinishing can be done fairly quickly using a rag and Emmet's Good Stuff Gel Urethane

### CUSTOM



Varnique Semi-Gloss Finish

Upcharge and Extended Lead Time apply

Code: BV

|               |                                 |
|---------------|---------------------------------|
| CORE MATERIAL | Solid Hard Maple Edge Grain Top |
| FINISH        | Natural Penetrating Oil Finish  |
| EDGE          | Long Edge Beveled • Square Ends |
| THICKNESS     | 1.75"                           |
| FOOD SAFE     | Yes                             |

|             |                                                              |
|-------------|--------------------------------------------------------------|
| MAINTENANCE | Recommended to re-finish every 3-4 weeks depending on usage. |
|-------------|--------------------------------------------------------------|



Refinishing can be done fairly quickly using a rag and Boos® EZ-DO Finish

Limited Warranty: Since Natural Wood Products rely heavily on the care they receive, Butcherblock Tabletops have One Year Warranty. The rest of the parts of the product still carry a Ten Year Warranty.