



SAFETY CABINETS

A leader in the manufacturing of Safety Cabinets for nearly 50 years, Eagle Manufacturing has set the industry standard for high-quality Safety Cabinets for the storage of flammables and other liquids. In 2011, Eagle designed a new state-of-the-art production facility and created a cabinet design incorporating improved convenience and safety features. Our Safety Cabinet product line is designed and manufactured to best meet the ever-changing needs of today's business, industrial and laboratory environments and is made in the USA.




Eagle Steel Safety Cabinet features include:

- Reinforced double wall construction with 1½ in. (3.8 cm.) air space on sides, top, bottom, back and doors
 - Constructed of 18-gauge steel
 - Lead-free, high-gloss, baked-on powder finish
 - Continuous piano hinges
 - Ground connection
 - Four adjustable galvanized leveling legs
 - Trilingual warning labels
 - 2 in. (5.1 cm.) raised leakproof sill
 - Patented, adjustable galvanized steel shelves direct spills to back and bottom of leakproof sump and hold 350 lbs. (158.8 kg.) Uniform Distributed Load (UDL)
 - Internal and external welded construction
 - Two 2 in. (5.1 cm.) internal vents with fire baffle and cap
 - Flush mounted door handle with key lock
 - Three-point stainless steel bullet latching system provides fail-safe, positive door closure with increased heat and corrosion resistance
 - 3 in. (7.6 cm.) centers for shelf brackets
 - Self-latching doors
 - Door closings: Manual Close (180° Opening)
Self-Closing (135° Opening)
 - Self-closing cabinets only:
 - Concealed self-close mechanism provides obstruction-free access to top shelf space
 - Self-indexing doors close in sequence and ensure a tight closure from top to bottom
- (Available in 2- (7.6 L) to 110- (426.4 L) gallon sizes.
Manual Close or Self-Closing.)

SAFETY CABINETS



FLAMMABLE LIQUID SAFETY CABINETS

 															
															
Capacity (Gal.)	7.6 L 2 gal.	15.2 L 4 gal.	45.5 L 12 gal.	56.7 L 15 gal.	60.6 L 16 gal.	83.3 L 22 gal.	90.9 L 24 gal.	90.9 L 24 gal.	113.6 L 30 gal.	170.4 L 45 gal.	181.7 L 48 gal.	227.2 L 60 gal.	227.2 L 60 gal.	227.2 L 60 gal.	340.7 L 90 gal.
Common Name	Bench Top	Bench Top	Space Saver	Add On	Space Saver	Under Counter	Wall- Mount	Space Saver	Standard 30	Standard 45	Deep Space Saver	Single Door 60	Standard 60	Work Bench	Standard 90
Model Numbers	1900X	1903X	1924X	ADD14X	1905X	1970X	1975X	2310X	3010X	4510X	4610X	6110X	6010X	6410X	9010X
Door Styles	Self Close: 1901X Manual Close: 1904X Sliding Self Close: —	Self Close: 1903X Manual Close: 1904X Sliding Self Close: —	Self Close: 1924X Manual Close: 1925X Sliding Self Close: —	Self Close: ADD14X Manual Close: ADD15X Sliding Self Close: —	Self Close: 1905X Manual Close: 1906X Sliding Self Close: —	Self Close: 1970X Manual Close: 1971X Sliding Self Close: —	Self Close: 1975X Manual Close: 1976X Sliding Self Close: —	Self Close: 2310X Manual Close: 1923X Sliding Self Close: —	Self Close: 3010X Manual Close: 1932X Sliding Self Close: 1930X	Self Close: 4510X Manual Close: 1947X Sliding Self Close: 1945X	Self Close: 4610X Manual Close: 1946X Sliding Self Close: —	Self Close: 6110X Manual Close: 1961X Sliding Self Close: —	Self Close: 6010X Manual Close: 1962X Sliding Self Close: —	Self Close: 6410X Manual Close: 1964X Sliding Self Close: —	Self Close: 9010X Manual Close: 1992X Sliding Self Close: —
Outside Dimensions	cm. 43.2 in. 17 cm. 43.2 in. 17 cm. 45.7 in. 18	cm. 43.2 in. 17 cm. 43.2 in. 17 cm. 55.9 in. 22	cm. 59.1 in. 23 1/4 cm. 45.7 in. 18 cm. 88.9 in. 35	cm. 109.2 in. 43 cm. 45.7 in. 18 cm. 61 in. 24	cm. 59.1 in. 23 1/4 cm. 45.7 in. 18 cm. 111.8 in. 44	cm. 88.9 in. 35 cm. 55.9 in. 22 cm. 88.9 in. 35	cm. 109.2 in. 43 cm. 30.5 in. 12 cm. 111.8 in. 44	cm. 59.1 in. 23 1/4 cm. 45.7 in. 18 cm. 165.1 in. 65	cm. 109.2 in. 43 cm. 45.7 in. 18 cm. 111.8 in. 44	cm. 109.2 in. 43 cm. 45.7 in. 18 cm. 165.1 in. 65	cm. 59.1 in. 23 1/4 cm. 86.4 in. 34 cm. 165.1 in. 65	cm. 86.4 in. 34 cm. 86.4 in. 34 cm. 165.1 in. 65	cm. 86.4 in. 34 cm. 86.4 in. 34 cm. 165.1 in. 65	cm. 109.2 in. 43 cm. 86.4 in. 34 cm. 111.8 in. 44	cm. 109.2 in. 43 cm. 86.4 in. 34 cm. 165.1 in. 65
Inside Dimensions	cm. 34.9 in. 13 3/4 cm. 34.9 in. 13 3/4 cm. 36.8 in. 14 1/2	cm. 34.9 in. 13 3/4 cm. 34.9 in. 13 3/4 cm. 44.5 in. 17 1/2	cm. 50.8 in. 20 cm. 37 in. 14.6 cm. 77.5 in. 30 1/2	cm. 100.3 in. 39 1/2 cm. 37 in. 14.6 cm. 49.5 in. 19 1/2	cm. 50.8 in. 20 cm. 37 in. 14.6 cm. 100.3 in. 39 1/2	cm. 80.6 in. 31 3/4 cm. 47.6 in. 18 3/4 cm. 67.3 in. 26 1/2	cm. 101 in. 39 3/4 cm. 22.2 in. 8 3/4 cm. 100.3 in. 39 1/2	cm. 50.8 in. 20 cm. 37 in. 14.6 cm. 153.7 in. 60 1/2	cm. 100.3 in. 39 1/2 cm. 37 in. 14.6 cm. 100.3 in. 39 1/2	cm. 100.3 in. 39 1/2 cm. 37 in. 14.6 cm. 153.7 in. 60 1/2	cm. 50.8 in. 20 cm. 37 in. 30.3 cm. 153.7 in. 60 1/2	cm. 78.1 in. 30 3/4 cm. 77.1 in. 30.3 cm. 153.7 in. 60 1/2	cm. 78.1 in. 30 3/4 cm. 77.1 in. 30.3 cm. 153.7 in. 60 1/2	cm. 100.3 in. 39 1/2 cm. 77.1 in. 30.3 cm. 100.3 in. 39 1/2	cm. 100.3 in. 39 1/2 cm. 77.1 in. 30.3 cm. 153.7 in. 60 1/2
No. of Shelves	1	1	1	1	1	1	3	3	1	2	3	2	2	1	2
Extra Shelf Model No.	29935	29935	29936	29937	29936	29939	29938	29936	29937	29937	29941	29944	29944	29945	29945
Shelf Depth	33 cm. 13 in.	33 cm. 13 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	45.7 cm. 18 in.	21.9 cm. 8 5/8 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	73.7 cm. 29 in.	73.7 cm. 29 in.	73.7 cm. 29 in.	73.7 cm. 29 in.
Maximum Weight	27.7 kg. 61 lbs.	30.8 kg. 68 lbs.	60.8 kg. 134 lbs.	76.7 kg. 169 lbs.	70.8 kg. 156 lbs.	88 kg. 194 lbs.	102.5 kg. 226 lbs.	95.3 kg. 210 lbs.	111.6 kg. 246 lbs.	145.1 kg. 320 lbs.	142.4 kg. 314 lbs.	172.8 kg. 381 lbs.	212.7 kg. 469 lbs.	189.6 kg. 418 lbs.	218.2 kg. 481 lbs.
Compliance															
Approvals	—	—													

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Did you know?

Improper storage and handling of flammable liquids is the leading cause of industrial fires.

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

Three door styles to choose from:



1947X Door
Manual Close



4510X Door
Self-Closing



1945X Sliding Door
Self-Closing
(30- & 45-gallon only)



SAFETY CABINETS



TOWER™ SAFETY CABINETS [YELLOW ONLY]

Capacity (Gal.)	45.5 L 12 gal.	60.6 L 16 gal.	113.6 L 30 gal.	170.4 L 45 gal.	227.2 L 60 gal.	340.7 L 90 gal.
Common Name	Space Saver	Space Saver	Standard 30	Standard 45	Standard 60	Standard 90
Model Numbers Door Styles	Self Close: Manual Close: Sliding Self Close:	Self Close: Manual Close: Sliding Self Close:	Self Close: Manual Close: Sliding Self Close:	Self Close: Manual Close: Sliding Self Close:	Self Close: Manual Close: Sliding Self Close:	Self Close: Manual Close: Sliding Self Close:
	1924XLEGS 1925XLEGS —	1905XLEGS 1906XLEGS —	3010XLEGS 1932XLEGS —	4510XLEGS 1947XLEGS —	6010XLEGS 1962XLEGS —	9010XLEGS 1992XLEGS —
Outside Dimensions	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:
	cm. 59.1 in. 23 3/4 cm. 45.7 in. 18 cm. 99.1 in. 39	cm. 59.1 in. 23 3/4 cm. 45.7 in. 18 cm. 121.9 in. 48	cm. 109.2 in. 43 cm. 45.7 in. 18 cm. 121.9 in. 48	cm. 109.2 in. 43 cm. 45.7 in. 18 cm. 175.3 in. 69	cm. 86.4 in. 34 cm. 86.4 in. 34 cm. 175.3 in. 69	cm. 109.2 in. 43 cm. 86.4 in. 34 cm. 175.3 in. 69
Inside Dimensions	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:	Width: Depth: Height:
	cm. 50.8 in. 20 cm. 37 in. 14.6 cm. 77.5 in. 30 1/2	cm. 50.8 in. 20 cm. 37 in. 14.6 cm. 100.3 in. 39 1/2	cm. 100.3 in. 39 1/2 cm. 37 in. 14.6 cm. 100.3 in. 39 1/2	cm. 100.3 in. 39 1/2 cm. 37 in. 14.6 cm. 153.7 in. 60 1/2	cm. 78.1 in. 30 3/4 cm. 77.1 in. 30.3 cm. 153.7 in. 60 1/2	cm. 100.3 in. 39 1/2 cm. 77.1 in. 30.3 cm. 153.7 in. 60 1/2
No. of Shelves Extra Shelf Model No.	1 29936	1 29936	1 29937	2 29937	2 29944	2 29945
Shelf Depth	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	73.7 cm. 29 in.
Maximum Weight	66.2 kg. 146 lbs.	76.2 kg. 168 lbs.	114.8 kg. 253 lbs.	143.8 kg. 317 lbs.	182.2 kg. 403 lbs.	230 kg. 507 lbs.
Compliance						
Approvals						

PAINT & INK

																										
																										
151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.																								
Standard 40	Standard 60	Standard 96																								
Cabinets are available in yellow - when ordering																										
PI32XLEGS**	PI47XLEGS	PI62XLEGS																								
<table><tr><td>cm.</td><td>in.</td></tr><tr><td>109.2</td><td>43</td></tr><tr><td>45.7</td><td>18</td></tr><tr><td>121.9</td><td>48</td></tr></table>	cm.	in.	109.2	43	45.7	18	121.9	48	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>109.2</td><td>43</td></tr><tr><td>45.7</td><td>18</td></tr><tr><td>175.3</td><td>69</td></tr></table>	cm.	in.	109.2	43	45.7	18	175.3	69	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>86.4</td><td>34</td></tr><tr><td>86.4</td><td>34</td></tr><tr><td>175.3</td><td>69</td></tr></table>	cm.	in.	86.4	34	86.4	34	175.3	69
cm.	in.																									
109.2	43																									
45.7	18																									
121.9	48																									
cm.	in.																									
109.2	43																									
45.7	18																									
175.3	69																									
cm.	in.																									
86.4	34																									
86.4	34																									
175.3	69																									
<table><tr><td>cm.</td><td>in.</td></tr><tr><td>100.3</td><td>39½</td></tr><tr><td>37</td><td>14.6</td></tr><tr><td>100.3</td><td>39½</td></tr></table>	cm.	in.	100.3	39½	37	14.6	100.3	39½	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>100.3</td><td>39½</td></tr><tr><td>37</td><td>14.6</td></tr><tr><td>153.7</td><td>60½</td></tr></table>	cm.	in.	100.3	39½	37	14.6	153.7	60½	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>78.1</td><td>30¾</td></tr><tr><td>77.1</td><td>30.3</td></tr><tr><td>153.7</td><td>60½</td></tr></table>	cm.	in.	78.1	30¾	77.1	30.3	153.7	60½
cm.	in.																									
100.3	39½																									
37	14.6																									
100.3	39½																									
cm.	in.																									
100.3	39½																									
37	14.6																									
153.7	60½																									
cm.	in.																									
78.1	30¾																									
77.1	30.3																									
153.7	60½																									
3 29937	5 29937	5 29944																								
35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.																								
119.7 kg. 264 lbs.	153.3 kg. 338 lbs.	187.8 kg. 414 lbs.																								
 	 	 																								
																										

TOWER™ SAFETY CABINETS

				
				
90.8 L / 24 gal. (168 Aerosol Cans)	113.6 L / 30 gal. (252 Aerosol Cans)	151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.
Aerosol Can Storage	Aerosol Can Storage	Standard 40	Standard 60	Standard 96
Bring add a "Y" before model number (to order 1975 or 1976 in yellow drop the RED from the model number)				
1975XRED  1976XRED —	PI7710X  PI77X —	PI3010X  PI32X PI30X 	PI4510X  PI47X PI45X 	PI6010X  PI62X —
cm. 109.2 in. 43 30.5 12 111.8 44	cm. 109.2 in. 43 30.5 12 165.1 65	cm. 109.2 in. 43 45.7 18 111.8 44	cm. 109.2 in. 43 45.7 18 165.1 65	cm. 86.4 in. 34 86.4 34 165.1 65
cm. 101 in. 39¾ 22.2 8¾ 100.3 39½	cm. 100.3 in. 39½ 21.7 8.6 153.7 60½	cm. 100.3 in. 39½ 37 14.6 100.3 39½	cm. 100.3 in. 39½ 37 14.6 153.7 60½	cm. 78.1 in. 30¾ 77.1 30.3 153.7 60½
3 29938	5 29938	3 29937	5 29937	5 29944
21.9 cm. 8 ⅝ in.	21.9 cm. 8 ⅝ in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.
102.5 kg. 226 lbs.	134.3 kg. 296 lbs.	113.4 kg. 250 lbs.	148.3 kg. 327 lbs.	191.4 kg. 422 lbs.
 	 	 	 	 
				

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5

Tower cabinets include 4-inch adjustable legs for the added benefits of:

- Placing cabinets over floor or wall ventilation
- Providing easy cleaning under cabinet
- Protecting the cabinet in areas where floor moisture is a concern
- Moving with a forklift or pallet jack

Did you know?

The use of approved safety cans is your first layer of protection against fire. Storage of safety cans in approved safety cabinets provides your second layer of protection.

****PI32LEGS**
is Manual Close

Proposition 65 warnings (▲) noted above are for both red and yellow cabinets

Paint & Ink cabinets include:

- Additional shelves for storage of one-gallon (3.8 L) paint or ink cans, or for aerosol cans
- Capacity based on the number of one-gallon (3.8 L) paint cans

Aerosol cabinets include wall-mounting brackets. 24-gallon (90.8 L) cabinet is designed to hold up to 168 12-oz. aerosol cans and the 30-gallon (113.6 L) cabinet is designed to hold up to 252 12-oz. aerosol cans



SAFETY CABINETS



DRUM SAFETY CABINETS



Capacity (Gal.)	208.2 L 55 gal.	208.2 L 55 gal.	416.4 L 110 gal.	208.2 L 55 gal.	416.4 L 110 gal.	227.2 L 60 gal.
Common Name	One Drum Vertical	One Drum Horizontal	Two Drum Vertical	HAZ One Drum Vertical	HAZ Two Drum Vertical	HAZ Two Drum (30 gal. Drums)
Model Numbers						
Door Styles	Self Close: 2610X ⚠ Manual Close: 1926X	2810X ⚠ 1928X	5510X ⚠ 1955X	HAZ2610X ⚠ HAZ1926X	HAZ5510X ⚠ HAZ1955X	HAZ9010X ⚠ HAZ1992X
Outside Dimensions	cm. in. Width: 86.4 34 Depth: 86.4 34 Height: 165.1 65	cm. in. Width: 76.2 30 Depth: 121.9 48 Height: 127 50	cm. in. Width: 149.9 59 Depth: 86.4 34 Height: 165.1 65	cm. in. Width: 86.4 34 Depth: 86.4 34 Height: 165.1 65	cm. in. Width: 149.9 59 Depth: 86.4 34 Height: 165.1 65	cm. in. Width: 109.2 43 Depth: 86.4 34 Height: 165.1 65
Inside Dimensions	cm. in. Width: 78.1 30¾ Depth: 77.1 30.3 Height: 153.7 60½	cm. in. Width: 67.9 26¾ Depth: 113.7 44¾ Height: 115.6 45½	cm. in. Width: 142.2 56 Depth: 77.1 30.3 Height: 153.7 60½	cm. in. Width: 78.1 30¾ Depth: 77.1 30.3 Height: 153.7 60½	cm. in. Width: 142.2 56 Depth: 77.1 30.3 Height: 153.7 60½	cm. in. Width: 100.3 39½ Depth: 77.1 30.3 Height: 153.7 60½
No. of Shelves	1 29946	—	1 29947	1 29946	1 29947	1 29945
Shelf Depth	35.6 cm. 14 in.	—	73.7 cm. 29 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	73.7 cm. 29 in.
Maximum Weight	178.3 kg. 393 lbs.	164.7 kg. 363 lbs.	269.9 kg. 595 lbs.	196.4 kg. 433 lbs.	293.5 kg. 647 lbs.	239.5 kg. 528 lbs.
Compliance	NFPA OSHA	NFPA OSHA	NFPA OSHA	NFPA OSHA	NFPA OSHA	NFPA OSHA
Approvals	FM	FM	FM	FM	FM	FM

HAZ-MAT SAFETY CABINETS

PESTICIDE SAFETY CABINETS



Capacity (Gal.)	45.5 L 12 gal.	113.6 L 30 gal.	170.4 L 45 gal.	208.2 L 55 gal.	227.2 L 60 gal.
Common Name	Space Saver	Standard 30	Standard 45	One Drum Vertical	Standard 60
Model Numbers					
Door Styles	PEST24X ⚠ PEST25X	PEST3010X ⚠ PEST32X	PEST4510X ⚠ PEST47X	PEST2610X ⚠ PEST26X	PEST6010X ⚠ PEST62X
Outside Dimensions	cm. in. Width: 59.1 23¾ Depth: 45.7 18 Height: 88.9 35	cm. in. Width: 109.2 43 Depth: 45.7 18 Height: 111.8 44	cm. in. Width: 109.2 43 Depth: 45.7 18 Height: 165.1 65	cm. in. Width: 86.4 34 Depth: 86.4 34 Height: 165.1 65	cm. in. Width: 86.4 34 Depth: 86.4 34 Height: 165.1 65
Inside Dimensions	cm. in. Width: 50.8 20 Depth: 37 14.6 Height: 77.5 30½	cm. in. Width: 100.3 39½ Depth: 37 14.6 Height: 100.3 39½	cm. in. Width: 100.3 39½ Depth: 37 14.6 Height: 153.7 60½	cm. in. Width: 78.1 30¾ Depth: 77.1 30.3 Height: 153.7 60½	cm. in. Width: 78.1 30¾ Depth: 77.1 30.3 Height: 153.7 60½
No. of Shelves	1 29936	1 29937	2 29937	1 29946	2 29944
Shelf Depth	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.
Maximum Weight	60.8 kg. 134 lbs.	108.9 kg. 240 lbs.	140.6 kg. 310 lbs.	178.3 kg. 393 lbs.	175.1 kg. 386 lbs.
Compliance	NFPA OSHA	NFPA OSHA	NFPA OSHA	NFPA OSHA	NFPA OSHA
Approvals	FM	FM	FM	FM	FM

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Drum safety cabinets include:

- Drum support guides in the bottom and one shelf (vertical cabinets only)
- Roller conveyors in the bottom, one shelf and hazardous waste labels on Haz-Mat safety cabinets

Did you know?

Regulations require not more than 60 gal. (227.2 L) of Class II liquids and not more than 120 gal. (454.2 L) of Class III liquids in any one safety cabinet.





Pesticide safety cabinets:

- Offer safe, secure, lockable storage of pesticides including herbicides, insecticides, fungicides and other poisons
- Provide excellent protection for companies specializing in lawn care, golf course or agricultural management
- Include poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Are available in 100 percent polyethylene construction for storage of highly corrosive pesticides or poisons

SAFETY CABINETS



METAL ACID & CORROSIVE SAFETY CABINETS

 									
									
Capacity (Gal.)	15.2 L 4 gal.	45.5 L 12 gal.	56.7 L 15 gal.	60.6 L 16 gal.	83.3 L 22 gal.	90.9 L 24 gal.	113.6 L 30 gal.	170.4 L 45 gal.	227.2 L 60 gal.
Common Name	Bench Top	Space Saver	Add-On	Space Saver	Under Counter	Space Saver	Standard 30	Standard 45	Standard 60
Model Numbers									
Door Styles	Self Close: CRA1903X  Manual Close: CRA1904X Sliding Self Close: —	Self Close: CRA1924X  Manual Close: CRA1925X Sliding Self Close: —	Self Close: ADDCRA14X  Manual Close: ADDCRAX Sliding Self Close: —	Self Close: CRA1905X  Manual Close: CRA1906X Sliding Self Close: —	Self Close: CRA70X  Manual Close: CRA71X Sliding Self Close: —	Self Close: CRA2310X  Manual Close: CRA1923X Sliding Self Close: —	Self Close: CRA3010X  Manual Close: CRA32X CRA30X 	Self Close: CRA4510X  Manual Close: CRA47X CRA45X 	Self Close: CRA6010X  Manual Close: CRA62X Sliding Self Close: —
Outside Dimensions	Width: 43.2 Depth: 43.2 Height: 55.9	Width: 59.1 Depth: 45.7 Height: 88.9	Width: 109.2 Depth: 45.7 Height: 61	Width: 59.1 Depth: 45.7 Height: 111.8	Width: 88.9 Depth: 55.9 Height: 88.9	Width: 59.1 Depth: 45.7 Height: 165.1	Width: 109.2 Depth: 45.7 Height: 111.8	Width: 109.2 Depth: 45.7 Height: 165.1	Width: 86.4 Depth: 86.4 Height: 165.1
Inside Dimensions	Width: 34.9 Depth: 34.9 Height: 44.5	Width: 50.8 Depth: 37 Height: 77.5	Width: 100.3 Depth: 37 Height: 49.5	Width: 50.8 Depth: 37 Height: 100.3	Width: 80.6 Depth: 47.6 Height: 67.3	Width: 50.8 Depth: 37 Height: 153.7	Width: 100.3 Depth: 37 Height: 100.3	Width: 100.3 Depth: 37 Height: 153.7	Width: 78.1 Depth: 77.1 Height: 153.7
No. of Shelves	1 Extra Shelf Model No. 29935	1 29936	1 29937	1 29936	1 29939	3 29936	1 29937	2 29937	2 29944
Shelf Depth	33 cm. 13 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	45.7 cm. 18 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.
Maximum Weight	30.8 kg. 68 lbs.	60.8 kg. 134 lbs.	78.9 kg. 174 lbs.	70.8 kg. 156 lbs.	89.4 kg. 197 lbs.	95.7 kg. 211 lbs.	122 kg. 269 lbs.	140.6 kg. 310 lbs.	173.3 kg. 382 lbs.
Compliance									
Approvals	—								



ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Acid & corrosive safety cabinets include:

- Special corrosion-resistant powder coat finish on internal and external cabinet surfaces
- Poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100 percent polyethylene construction for storage of aggressive acids

Did you know?

Approved safety cabinets are designed to protect the contained flammable liquids for a period of 10 minutes, giving personnel time to exit in case of fire.



MODULAR QUIK-ASSEMBLY™ POLY ACID & CORROSIVE SAFETY CABINETS

						
						
Capacity (Gal.)	15.2 L 4 gal.	45.5 L 12 gal.	90.9 L 24 gal.	90.9 L 24 gal.	181.7 L 48 gal.	
Description	Bench Top	12-Gal. Modular	24-Gal. Modular (Space Saver)	24-Gal. Modular (Under-the-Counter)	48-Gal. Modular	
Model Numbers	M04CRA –	M12CRA –	M24CRA –	M24CRA –	M48CRA –	
Outside Dimensions	W: D: H:	cm. in.	cm. in.	cm. in.	cm. in.	
		45.8 18	45.8 18	45.8 18	91.5 36	
		45.8 18	55.9 22	55.9 22	55.9 22	
		55.9 22	91.5 36	91.5 36	182.9 72	
Inside Dimensions	W: D: H:	cm. in.	cm. in.	cm. in.	cm. in.	
		35.6 14	35.6 14	35.6 14	35.6 14	
		38.1 15	48.3 19	48.3 19	48.3 19	
		40 15½	75.6 29¾	75.6 29¾	75.6 29¾	
No. of Shelves	2	2	4	4	8	
Shelf Depth	38.8 cm./15 ¼ in.	48.9 cm./19 ¼ in.	48.9 cm./19 ¼ in.	48.9 cm./19 ¼ in.	48.9 cm./19 ¼ in.	
Weight	14.6 kg./32 lbs.	20.5 kg./45 lbs.	40.9 kg./90 lbs.	40.9 kg./90 lbs.	81.7 kg./180 lbs.	

MODULAR QUIK-ASSEMBLY™
POLY CABINETS

Eagle introduces a new line of Modular *Quik-Assembly*™ Poly Cabinets ideal for lab or industrial settings. Made of heavy duty High Density Polyethylene, these models can be assembled in minutes without tools. The 4-gallon (15.2 L) model is a stand-alone unit, while the 12-gallon (45.5 L), 24-gallon (90.9 L) and 48-gallon (181.7 L) models can be linked and stacked to create additional vertical or horizontal units. Models can be assembled with the option of the lockable doors opening to the left or right.

Features:

- Ideal for labs and industrial settings
- Assembles in minutes, no tools required
- Lockable doors open to 180°
- Doors can be assembled to open to the left or right
- 100 percent HDPE construction
- Adjustable shelves, 38 lbs. (17.3 kg.) shelf (UDL)
- Sealed internal containment sump
- Two 2 inch (5.1 cm.) poly vents with caps
- “Caution Corrosives” label included
- Modular linkage brackets included
- Additional color options on pg. 14-15



Modular Designs

Space Saver Build
in: 18W x 22D x 72H
cm: 45.8W x 55.9D x 182.9H


Model M48CRA
48-Gallon (181.7 L) Modular Cabinet
in: 36W x 22D x 72H
cm: 91.5W x 55.9D x 182.9H

Model M24CRA
24-Gallon (90.9 L)
Modular Cabinet

Under-the-Counter
in: 36W x 22D x 36H
cm: 91.5W x 55.9D x 91.5H

Model M12CRA
12-Gallon (45.5 L)
Modular Cabinet

Quik-Assembly™ in minutes
(No tools required)



M12CRA
12-Gallon Modular



OFFICE SUPPLY CABINET

CABINET COMBOS

CABINET ACCESSORIES

PLEASE CALL EAGLE CUSTOMER SERVICE AT 304.737.3171



Capacity (Gal.)	21.5 cu. ft./ 0.6 cu.m.		
Common Name	Office Supply Cabinet		
Model Numbers	19474XBE 19474XGR		
Outside Dimensions	Width:	cm. 109.2	in. 43
	Depth:	45.8	18
	Height:	165.1	65
Inside Dimensions	Width:	cm. 100.3	in. 39.5
	Depth:	37	14.6
	Height:	153.7	60.5
No. of Shelves	4		
Extra Shelf Model No.	1915XBEIGE & 1915XGRAY		
Shelf Depth	35.6 cm./14 in.		
Maximum Weight	134.3 kg./296 lbs.		
Compliance	-		
Approvals	-		

- NOTE:
Office Supply Cabinets require flammable labels to comply with NFPA Code 30.
- Office Supply Cabinets:
 - Provide secure, fire-resistant storage of software, financial records, supplies, toner, adhesives, etc.
 - Have four painted shelves
 - Are not fireproof

Safety Cabinet Combos!

Compliance solution combos for the handling & storage of flammable liquids

These combos bring you Eagle’s best-selling Safety Cabinets filled with Eagle’s market-leading 5-gallon (18.9 L) Type I Safety Cans with funnels! Now, one easy purchase can meet your compliance needs.



Capacity (Gal.)	113.6 L / 30 gal.		170.4 L / 45 gal.		227.2 L / 60 gal.	
Common Name	30-Gallon Standard		45-Gallon Standard		60-Gallon Standard	
Model Numbers	(Includes 6 UI50FS Cans)		(Includes 9 UI50FS Cans)		(Includes 12 UI50FS Cans)	
Door Styles	Manual Close: 1932XSC6		1947XSC9		1962XSC12	
	Self Close: 3010XSC6 ⚠		4510XSC9 ⚠		6010XSC12 ⚠	
Outside Dimensions	W:	cm. 109.2	in. 43	W:	cm. 109.2	in. 43
	D:	45.7	18	D:	45.7	18
	H:	111.8	44	H:	165.1	65
Inside Dimensions	W:	cm. 100.3	in. 39½	W:	cm. 100.3	in. 39½
	D:	37	14.6	D:	37	14.6
	H:	100.3	39½	H:	153.7	60½
No. of Shelves	1		2		2	
Extra Shelf Model No.	29937		29937		29944	
Shelf Depth	35.6 cm./14 in.		35.6 cm./14 in.		73.7 cm./29 in.	
Maximum Weight	122 kg./269 lbs.		166 kg./366 lbs.		212.7 kg./469 lbs.	
Compliance	 OSHA		 OSHA		 OSHA	
Approvals						



3045XKIT Polyethylene Tray Kit
38.5 in. (97.8 cm.) x 14.25 in. (36.2 cm.) x 1.2 in. (3.1 cm.)



29937 Metal Shelves
39-3/8 in. (100 cm.) x 14 in. (35.6 cm.) x 1-7/16 in. (3.7 cm.)



25932 Vertical Drum Cabinet Ramp
24.5 in. (62.2 cm.) x 28 in. (71.1 cm.)



84001 Cabinet Dolly Cart



08800 Drum Cradle




08500/08501 Bonding Wires (3 ft./91.5 cm.)
08300 Brass Horizontal Drum Vent
1974B Brass Faucet (¾ in./1.90 cm.)



1794 Poly Drum Cabinet Ramp



08800 Horizontal Drum Cradle



29985 Shelf Dividers



25922 Roller Conveyors

Cabinet Accessories, Shelves & Parts

For use only on new X model cabinets.

08800	Cradle for Horizontal Drum Cabinets	
25920	2 in. Roller Conveyor HAZ1926X & HAZ2610X	⚠
25922	2 in. Roller Conveyor HAZ1955X & HAZ5510X	
25923	2 in. Roller Conveyor HAZ1992X & HAZ9010X	
25998	Key Set (2 keys) (Key #CH545)	
29050	Poly Shelf/Bottom Tray for 2- & 4-gallon cabinets	
29051	Poly Shelf/Bottom Tray for 12-, 16- & 24-gallon cabinets	
29052	Poly Shelf/Bottom Tray for CRA70X & CRA71X	
29053	Poly Shelf/Bottom Tray for 15-, 30- & 45-gallon cabinets	
29054	Poly Shelf/Bottom Tray for 60-gallon cabinets	
29157	Paddle Latch Door Lock with Keys (flush mount)	
29935	Metal Shelf for 2- and 4-gallon cabinets, including CRA models	
29936	Metal Shelf for 12-, 16- & 24-gallon cabinets, including CRA models	
29937	Metal Shelf for 15-, 30- & 45-gallon cabinets	
29938	Metal Shelf for Wall Mount/Aerosol Can Cabinets	
29939	Metal Shelf for Under Counter Cabinets, including CRA models	
29941	Metal Shelf for 48-gallon cabinets	
29944	Metal Shelf for 60-gallon cabinets, including CRA cabinets	
29945	Metal Shelf for 60-gallon work bench, and 90-gallon cabinets	
29946	Metal Half-Depth Shelf for HAZ1926X & HAZ2610X	
29947	Metal Half-Depth Shelf for HAZ1955X	
29985	2 in. Divider for cabinets with 14 in. (D) shelves	
29988	Fusible Link for all self-closing cabinet models	⚠
29990	2 in. Divider for cabinets with 18 in. (D) shelves	
3045XKIT	Universal Poly Tray Kit 3 trays	

For use on specified original and new X model cabinets.

1794	Poly Ramp for use with Vertical Drum Cabinets	
1933	Cabinet Wheel Kit for 30-gallon or less	
8300	Brass Horizontal Drum Vent	
8500	Grounding Wire w/Alligator Clips 36 in. length	
8501	Bonding Wire w/C Clip 36 in. length	
25932	Vertical Drum Cabinet Ramp	
84000	Cabinet Earthquake Kit all cabinets	
84001	Cabinet Dolly Cart for 15- & 30-gallon cabinets	
1974B	Brass Faucet	⚠



1933 Cabinet Wheel Kit
(Fits 30 gal./113.6 L and smaller)



84000 Cabinet Earthquake Kit