

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : Clog B-Gone Ultra

Product code(s): : 147CLOGBGNEULT1G,
147CLGBGNEULTQT

Recommended use : Drain Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : Manufactured for:
Clark Core Services, LLC
2205 Old Philadelphia Pike
Lancaster, PA 17602
1-888-256-6400

Emergency telephone number : VelocityEHS
1-800- 255-3924

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin corrosion	Sub-category 1C	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion

Signal word

Danger

Hazard statements

Causes serious eye damage.

Precautionary statements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Immediately call a POISON CENTER/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Wash hands thoroughly after handling.
Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Sodium hypochlorite	7681-52-9	1.00 - 5.00
Sodium hydroxide	1310-73-2	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

Inhalation : IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/20247

Ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed symptoms

Eyes : Causes serious eye damage.

Skin effect : Causes severe skin burns.

Inhalation : May cause respiratory tract irritation.

Ingestion : Causes digestive tract burns.

No adverse effects expected when used as directed.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials : Dike large spills.

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2022

**for containment and
cleaning up**

Clean residue from spill site.
Absorb spillage to prevent material damage.

7. HANDLING AND STORAGE

Handling

**Precautions for safe
handling**

: Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Avoid breathing vapors, mist or gas. Wash
thoroughly after handling.

**Advice on protection
against fire and explosion**

: Normal measures for preventive fire protection.

Storage

**Requirements for storage
areas and containers**

: Keep container closed when not in use.
Store locked up.
Store in original container.
Store in corrosive resistant aluminum container with a resistant
inner liner.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection

: Use only with adequate ventilation.
Substantial amounts of mist/vapors can be controlled with
local exhaust ventilation or respiratory protection.

Hand protection

: Rubber gloves

Eye protection

: Wear splash-resistant Chemical goggles.

Skin and body protection

: Protective footwear.

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: light yellow
Odor	: odorless
Odor Threshold	: Test not applicable for this product type
pH	: 11.5 - 13.5
Melting point/freezing point	: 32 °F
Initial boiling point and boiling range	: 100 °C
Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Test not applicable for this product type
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapor pressure	: Test not applicable for this product type
	:
Relative density	: 1.0497 g/cm ³ at 25 °C

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Solubility(ies)	: completely soluble	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: Test not applicable for this product type	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: 830 mPa.s at 25 °C Method: ASTM D 2196	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 0 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Do not mix with bleach or any other household cleaners.
Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 > 10 mg/L
- Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapor
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Sub-category 1C	-
Serious eye damage	Category 1	-
Skin sensitization	No classification proposed	-
Respiratory sensitization	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

Carcinogenicity	No classification proposed	-	
Reproductive toxicity	No classification proposed	-	
Specific target organ toxicity - single exposure	No classification proposed	-	
Specific target organ toxicity - repeated exposure	No classification proposed	-	
Aspiration hazard	No classification proposed	-	

Aggravated Medical Condition

: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	LC50	Fish	0.06 mg/l	96 h
	NOEC		0.01 - < 0.1 mg/l	28 d

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

Sodium hydroxide	LC50	Fish	35 - 189 mg/l	96 h
------------------	------	------	---------------	------

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
Sodium hydroxide	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	
Sodium hydroxide	No data available			

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
Sodium hydroxide	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	No data available	-3.42
Sodium hydroxide	0.89 estimated	-1.38

Mobility

Component	End point	Value
Sodium hypochlorite	No data available	
Sodium hydroxide	No data available	

PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Other adverse effects	: None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1760	1760	1760
UN proper shipping name	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Environmental hazards	-	Marine pollutant	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 07/28/2024

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

State Right To Know

Massachusetts RTK	Sodium hypochlorite	7681-52-9
Minnesota HSL	Sodium hypochlorite	7681-52-9
New Jersey HRTK	Sodium hypochlorite	7681-52-9
Pennsylvania RTKL	Water	7732-18-5
	Sodium hypochlorite	7681-52-9
	Sodium hydroxide	1310-73-2

16. OTHER INFORMATION

HMIS Ratings

Health 3

Flammability 0

Reactivity 1

NFPA Ratings

Health 3

Fire 0

Reactivity 1

Special -

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

CLOG B-GONE ULTRA

Version 1.1

Print Date 01/20/2025

Revision Date 05/14/2025

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.