

## Safety Data Sheets (SDSs)

**Product Name:** Premium Lithium iron Phosphate Rechargeable Battery

**Commissioner:** Dongguan bochuang energy co., LTD

Shanghai Truron Testing Technology Co., Ltd.



|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

## Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 1 of 8 Pages

|                                                                                                                                                   |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Name of product                                                                                                                                   | Premium Lithium iron Phosphate Rechargeable Battery                                 |
| Type/Model                                                                                                                                        | SGM05 14.0Ah 12.8V 179.2Wh                                                          |
| Commissioned by                                                                                                                                   | Dongguan bochuang energy co., LTD                                                   |
| Commissioner address                                                                                                                              | Room304, 5th Building,6th Gongyebei Road, Songshanhu, Dongguan, Guangdong, China    |
| Supplier                                                                                                                                          | Dongguan bochuang energy co., LTD                                                   |
| Supplier address                                                                                                                                  | Room304, 5th Building,6th Gongyebei Road, Songshanhu, Dongguan, Guangdong, China    |
| Inspection according to                                                                                                                           | Globally Harmonized System of Classification and Labelling of Chemicals(GHS, Rev.8) |
| Emergency telephone number                                                                                                                        | +86-769-88601010                                                                    |
| Remarks                                                                                                                                           | N/A                                                                                 |
| <div><p>Seal of Truron<br/>Date of issue:2023-04-27</p></div> |                                                                                     |

Approved by:

Reviewed by:

Tested by:

*Sally Ren*

*Arthur.li*

*Corre uong*

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

# Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 2 of 8 Pages

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier:

Product name: Premium Lithium iron Phosphate Rechargeable Battery

Model: SGM05

### Other means of identification:

Synonyms: None

### Relevant identified use of Product and uses advised against:

Recommended Use: electronic products and security equipment

Uses advised against: Risk of fire and burns, do not open, crush, heat above 85°C or incinerate.

### Details of the Supplier of the safety data sheet: :

Name: Dongguan bochuang energy co., LTD

Address: Room304, 5th Building,6th Gongyebei Road, Songshanhu, Dongguan,  
Guangdong, China

Telephone: +86-769-88601010

Fax: /

Postcode: 523401

E-mail address: suki@phdbattery.com

### Emergency telephone number:

Company Emergency Phone Number: +86-769-88601010

## 2. HAZARDS IDENTIFICATION

### Classification:

The watt-hour rate of the product is 179.2 Wh, it is belong to the Class 9 dangerous goods.

### Other information:

Caution! Avoid short circle, place in high temperature environment, put into water, or damage the shell.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterixation: Mixtures

Description: Chemical power supply based on nonaqueous electrolyte. Composed by positive electrode, negative electrode, diaphragm, electrolyte and shell.

### Hazardous ingredients:

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

## Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 3 of 8 Pages

| Common Chemical Name         | Chemical Formula                              | Concentration (%) | CAS No.    |
|------------------------------|-----------------------------------------------|-------------------|------------|
| lithium iron phosphate       | FeLiO <sub>4</sub> P                          | 41.5              | 15365-14-7 |
| Graphite                     | C <sub>24</sub> X <sub>12</sub>               | 21.2              | 7782-42-5  |
| Ethyl Methyl Carbonate       | C <sub>5</sub> H <sub>10</sub> O <sub>3</sub> | 6                 | 105-58-8   |
| Copper                       | Cu                                            | 9                 | 7440-50-8  |
| Aluminum                     | Al                                            | 4                 | 7429-90-5  |
| Nickel                       | Ni                                            | 9.5               | 7440-02-0  |
| Poly(vinylene fluoride)      | C <sub>2</sub> H <sub>2</sub> F <sub>2</sub>  | 4.3               | 24937-79-9 |
| Lithium hexafluoro phosphate | F <sub>6</sub> LiP                            | 4                 | 21324-40-3 |
| Tin                          | Fe                                            | 0.5               | 7440-31-5  |
| Lead                         | Pb                                            | Not Detected      | 7439-92-1  |
| Cadmium                      | Cd                                            | Not Detected      | 7440-43-9  |
| Mercury                      | Hg                                            | Not Detected      | 7439-97-6  |

Note: N/A=Not apply.

### 4. FIRST-AID MEASURES

#### First aid measures:

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact: Remove contaminated clothing and shoes. Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation: Move to fresh air. If symptoms persist, call a physician.

Ingestion: Do not induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Swallowing: Do not induce vomiting. Get medical attention.

#### Most Important Symptoms/Effects:

No information available.

#### Indication of any immediate medical attention and special treatment needed:

Notes to Physician Treat symptomatically

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media:

CO<sub>2</sub>, dry chemical powder, water spray

Unsuitable Extinguishing Media: No information available.

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

# Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 4 of 8 Pages

## **Protective Equipment and Precautions for Firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eye/face protection

## **Special hazards arising from the substance or mixture:**

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C), When damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures:**

Personal Precautions: Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

### **Environmental precautions:**

Environmental Precautions: Refer to protective measures listed in Sections 7 and 8.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

### **Methods and material for containment and cleaning up:**

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up: Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other Non-combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling:**

Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short circuits. Avoid mechanical or electrical abuse.

More than a momentary short circuit will generally reduce the battery service life. Avoid reversing battery polarity within the battery assembly. In case of a battery unintentionally be crushed, rubber gloves must be used to handle all battery components. Avoid contact with eyes, skin. Avoid inhalation. No smoking at working site. Materials to Avoid: Strong oxidizing agents, Corrosives.

### **Conditions for safe storage, including any incompatibilities:**

Store in a cool, well-ventilated area. Keep away from ignition sources, heat and flame.

Such batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short-circuits.

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

## Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 5 of 8 Pages

Materials to Avoid: Strong oxidizing agents, Corrosives.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Engineering Controls:

Use ventilation equipment if available. Safety shower and eye bath.

#### Personal Protective Equipment:

Respiratory System: Not necessary under conditions of normal use.

Eyes: Not necessary under conditions of normal use.

Clothing: Wear appropriate protective clothing.

Hand: Safety gloves.

#### Other Protect:

No smoking, drinking and eating at working site. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                              |                                          |                                            |
|----------------------------------------------|------------------------------------------|--------------------------------------------|
| Physical State                               | Form: Prismatic                          |                                            |
|                                              | Color: Blue                              |                                            |
|                                              | Odour: Odourless                         |                                            |
|                                              | Odor Threshold: No information available |                                            |
| Change in condition:                         |                                          |                                            |
| pH, with indication of the concentration     |                                          | Not determined.                            |
| Melting point/freezing point                 |                                          | Not determined.                            |
| Initial boiling point and Boiling range:     |                                          | Not determined.                            |
| Flash Point                                  |                                          | Not determined.                            |
| Flammability (solid, gas)                    |                                          | Not determined.                            |
| Upper/lower flammability or explosive limits |                                          | Not determined.                            |
| Auto-ignition temperature                    |                                          | Product is not self-igniting.              |
| Decomposition temperature                    |                                          | Not determined.                            |
| Other Information                            |                                          | No further relevant information available. |

### 10. STABILITY AND REACTIVITY

**Reactivity:** Stable under recommended storage and handling conditions (see section 7).

**Chemical stability:** Stable under normal conditions of use, storage and transport.

**Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of Hazardous Reactions:** None under normal processing.

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

# Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 6 of 8 Pages

**Hazardous Polymerization:** Hazardous polymerization does not occur.

**Conditions to avoid:** Strong heating, fire, Incompatible materials.

**Incompatible materials:** Strong oxidizing agents. Strong acids.

**Hazardous Decomposition Products:** Carbon oxides, Other irritating and toxic gases.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:** No data available.

**Skin corrosion/irritation:** No irritant effect.

**Serious eye damage/irritation:** Cause serious eye irritation.

**Respiratory or skin sensitization:** No sensitizing effects known.

**Specific target organ system toxicity:** No information available.

*Note: The internal battery materials may cause irritation to eyes and skin.*

## 12. ECOLOGICAL INFORMATION

**Toxicity:** No further relevant information available.

**Persistence and degradability:** No further relevant information available.

**Bio accumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

**Results of PBT and vPvB assessment:**

PBT: Not applicable.

vPvB: Not applicable.

**Other adverse effects:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods:**

Recommendation: Lithium batteries are best disposed of as a non-hazardous waste when fully or mostly discharged. Contact a licensed professional waste disposal service to dispose of large quantities materials.

**Other disposal recommendations:**

Recommendation: Disposal must be made according to official regulations.

## 14. TRANSPORT INFORMATION

The product had been tested according to the requirements of the UN manual of tests and Criteria, Part III, subsection 38.3. (See section 2)

**EmS No:** F-A, S-I

**Marine pollutant:** No

**Environmental hazards:** Not applicable.

**Special precautions for user:** Not applicable.

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

# Safety Data Sheets(SDSs)

Ref. No.: A1-TUN2304013-001

Page 7 of 8 Pages

**Proper Shipping name:** Lithium ion batteries (Including lithium ion polymer batteries)

**Hazard Class:** Class 9

**UN/ID Number:** UN3480

**Packaging Group:** II

## **Maritime transport:**

**Label for conveyance:** Class 9 lithium battery hazard label

The goods are complied with the requirements of Packing Instruction P903 of IMDG CODE (Amdt. 40-20) (2020 Edition).

## 15.REGULATORY INFORMATION

### **International Regulation:**

Globally Harmonized System of Classification and Labeling of Chemicals

Recommendations on the Transport of Dangerous Goods Model Regulations

IATA Dangerous Goods Regulations (DGR)

International Maritime Dangerous Goods (IMDG CODE)

### **EU Regulation:**

EU regulation (EC) 1272/2008 on "Classification, Labeling and Packaging of Substances and Mixtures" (CLP)

Registration, Evaluation and Authorization of Chemicals(REACH)

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

### **US Regulation:**

American National Standard for Hazardous Workplace Chemicals – Hazard Evaluation and Safety Data Sheet and Precautionary Labeling Preparation

## 16.OTHER INFORMATION

This file is only effective to the batteries provided by commissioner Dongguan bochuang energy co., LTD. The commissioner provides the composition information of batteries, and promises its integrity and accuracy. Users should read this file carefully, and use the batteries in correct method. Shanghai Truron Testing Technology Co., Ltd. doesn't assume responsibility for any damage or loss because of misuse of batteries.

---

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |

## Important

1. The test report is invalid without the official stamp of Truron.
2. This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.
3. The test report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.
4. The test report is invalid if altered.
5. Objections to the test report must be submitted to Truron within 15 days.
6. The test report is valid for the tested samples only.

Address: 1F and 2F, Block 1, 685 Huishan Road, Shanghai China.

Telephone: 021-36366937

FAX: 021-36366937

Post Code: 201800

|                            |                       |
|----------------------------|-----------------------|
| Document No.: A1-TR31-SDSs | Rev: 1.0              |
| Issue Date: 2023-04-20     | Rev. Date: 2023-04-20 |