

Item #: 178AWT48R Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco AWT-48R 48" Worktop Refrigerator with 3 1/2" Backsplash

Item #178AWT48R



Technical Data

Width	47 1/4 Inches
Depth	29 1/2 Inches
Height	38 3/4 Inches
Power Cord Length	7 Feet
Interior Width	43 5/16 Inches
Shelf Width	22 1/16 Inches
Interior Depth	25 Inches
Shelf Depth	22 3/16 Inches
Backsplash Height	3 1/2 Inches
Interior Height	26 1/8 Inches

Features

- 430 type stainless steel exterior and aluminum interior with 304 type stainless steel floor
- Foamed-in-place polyurethane insulation increases energy efficiency
- Self-closing and stay-open door features for easy loading and unloading
- Features easy-to-use recessed handles for quick interior access
- Uses R-290 refrigerant; 115V, 1/3 hp

Certifications



5-15P




ETL Listed

Technical Data

Work Surface Height	35 1/4 Inches
Amps	2.4 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	276 Watts
Access Type	Doors
Backsplash	With Backsplash
BTU (LBP)	881 BTU
Capacity	13.98 cu. ft.
Capacity (per Shelf)	66.13999938964844 lb.
Casters	With Casters
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Construction	Stainless Steel and Aluminum
Door Style	Swing
Door Type	Solid
Features	Automatic Electric Defrost Digital Temperature Controller Magnetic Door Gaskets Self-Closing Doors Stay-Open Doors With Backsplash
Hinge Location	Left Right
Horsepower	1/3 hp
Number of Doors	2 Doors
Number of Shelves	2 Shelves
Plug Type	NEMA 5-15P
Refrigerant Type	R-290
Style	Counter Height
Temperature Range	33 - 40 Degrees F
Top Capacity	396 lb.
Type	Worktop Refrigerators

Plan View



178AWT4BR



Notes & Details

Make food preparation as convenient as possible with the Avantco 48" worktop refrigerator. With a spacious stainless steel worktop surface for slicing, dicing, assembling, mixing, and other food prep tasks, the unit features a 3 1/2" backsplash for wall protection and a refrigerated storage space below. It is readily accessible through the doors, which open up to 2 shelves to help you organize your ingredients and best utilize the spacious interior. Plus, because each accommodates up to 66.14 lb., the included PVC-coated wire shelves are well equipped for holding heavy bulk ingredients, from fresh produce to sauces, glazes, and other specialty condiments and garnishes.

This unit is designed for outstanding durability to ensure that it withstands busy kitchen environments with ease. It features a 430 type stainless steel exterior, which provides both strength and a smooth, sleek appearance. The painted aluminum interior with a 304 type stainless steel floor also offers the durability necessary for heavy, regular use. It comes with 4 reliable casters, 2 of which are braking casters, for easy mobility around your establishment.

This worktop refrigerator ensures optimal performance by operating with a 1/3 hp refrigeration system that circulates R-290 refrigerant to maintain temperatures from 30 to 40 degrees Fahrenheit. R-290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps provide structural rigidity and maintain internal temperatures.

Operation of the refrigerator is easy, thanks to a variety of special features. Monitor temperatures by consulting the interior wall-mounted thermometer and use the auto-defrost feature on the pre-programmed digital controller to keep the refrigerator in excellent shape. Take advantage of the included casters and roll the unit aside to thoroughly clean the area as needed. This worktop refrigerator requires a 115V electrical connection for operation and comes with a 7' power cord.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.