

Item #: 178GDC49FHCB Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco GDC-49F-HC 53" Black Swing Glass Door Merchandiser Freezer with LED Lighting

Item #178GDC49FHCB



Technical Data

Width	53 1/8 Inches
Depth	31 7/8 Inches
Height	83 7/8 Inches
Power Cord Length	96 Inches
Interior Width	47 3/8 Inches
Left Door Opening Width	21 11/16 Inches
Right Door Opening Width	21 11/16 Inches
Shelf Width	23 1/4 Inches
Interior Depth	27 Inches
Shelf Depth	24 7/16 Inches

Features

- Anti-fog dual-pane tempered glass swing doors with magnetic gaskets
- Easy-to-use digital temperature controls, temperature range: -7 - 0
- Includes 4 adjustable, plastic-coated steel shelves
- Interior LED lighting; 4" casters included
- 115V; 1 1/2 hp; R-290 refrigerant

Certifications



5-15P



Customizable




ETL Listed

Technical Data

Interior Height	50 Inches
Caster Diameter	4 Inches
Amps	10.6 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	1219 Watts
Access Type	Doors
BTU (LBP)	3750 BTU
Capacity	35.8 cu. ft.
Capacity (per Shelf)	88 lb.
Casters	With Casters
Color	Black
Compressor Location	Bottom Mounted
Door Style	Swing
Door Type	Glass
Features	Customizable LED Lighting
Horsepower	1 1/2 hp
Interior Color	White
Number of Doors	2 Doors
Number of Shelves	8 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	4.9 oz.
Refrigerant Type	R-290
Sections	2 Sections
Starting Amps	31.8 Amps
Starting Wattage	3000 Watts
Temperature Range	-7 - 0 Degrees F

Plan View





Notes & Details

Increase impulse sales of frozen meals, novelty treats, fruits, and vegetables with this Avantco GDC-49F-HC 53 1/8" black merchandising freezer! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from black-coated steel, you can be sure that it will provide superior durability. This unit boasts 2 anti-fogging, dual-pane tempered glass swing doors to ensure that customers always have a clear view of your products, while 8 epoxy-coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate prepackaged foods in a variety of sizes. Interior LED lighting also works to illuminate and further merchandise your products.

Designed to maintain temperatures from -8 to -1 degree Fahrenheit, this freezer boasts a bottom-mounted 1 1/2 hp compressor that runs on R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed in place using polyurethane insulation. Other helpful features include magnetic gaskets, automatic defrosting, as well as a digital temperature control and display. This item requires a 115V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.