

Item #: 178SSWT72RA Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco SS-WT-72R-HC 72" Three Door Stainless Steel ADA Height Worktop Refrigerator with 3 1/2" Backsplash

Item #178SSWT72RA



Technical Data

Width	71 1/2 Inches
Depth	29 1/2 Inches
Height	37 1/8 Inches
Power Cord Length	84 Inches
Interior Width	66 7/8 Inches
Interior Depth	22 7/8 Inches
Interior Height	23 1/2 Inches
Work Surface Height	33 5/8 Inches
Amps	2.7 Amps
Hertz	60 Hz

Features

- 2 1/2" casters make moving simple for easy cleaning and make the unit an ADA-compliant height
- Strong type 430 stainless steel exterior with 3 1/2" backsplash and type 304 stainless steel
- Foamed-in-place polyurethane maintains temperatures from 33 to 40 degrees Fahrenheit
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 1/3 hp
- Note: only the worktop refrigerator holds the ETL certification

Certifications



5-15P



ADA Compliant




ETL Listed


Technical Data

Phase	1 Phase
Voltage	115 Volts
Wattage	290 Watts
Access Type	Doors
Backsplash	With Backsplash
BTU (LBP)	881 BTU
Capacity	16.9 cu. ft.
Color	Silver
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Door Style	Swing
Door Type	Solid
Features	ADA Compliant Magnetic Door Gaskets
Hinge Location	Left Right
Horsepower	1/3 hp
Number of Doors	3 Doors
Number of Shelves	3 Shelves
Plug Type	NEMA 5-15P
Refrigerant Type	R-290
Sections	3 Sections
Starting Amps	8.1 Amps
Starting Wattage	870 Watts
Style	ADA Height
Temperature Range	33 - 40 Degrees F
Top Capacity	441 lb.

Plan View



1785SW172RA





Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco SS-WT-72R-HC 72" back bar refrigerator! Providing 7.8 cu. ft. of interior storage space, the unit houses one epoxy-coated shelf that accommodates up to 90 lb. The epoxy-coated steel shelf is perfect for storing and organizing drinks for your bar service, from bottles of ale to bottles of cider.

The interior, made of strong 304 type stainless steel, is accessible through the glass door. Because it's made of glass, the door provides excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. For overall durability, the unit's exterior is made with sleek stainless steel and is topped with a type 304 stainless steel surface. This unit also comes with a 2 year Parts and Labor Warranty for long-lasting quality assurance and peace of mind.

This back bar refrigerator ensures optimal performance by operating with a 1/3 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 -40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.