

Item #: 360ADC12FHC Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco ADC-12F-HC 71" Customizable Ice Cream Dipping Cabinet with Flat Sneeze Guard

Item #360ADC12FHC



### Technical Data

|                   |               |
|-------------------|---------------|
| Width             | 71 Inches     |
| Depth             | 28 Inches     |
| Height            | 52 Inches     |
| Power Cord Length | 70 Inches     |
| Interior Width    | 65 1/4 Inches |
| Interior Depth    | 21 1/2 Inches |
| Interior Height   | 25 1/2 Inches |
| Amps              | 4 Amps        |
| Hertz             | 60 Hz         |
| Phase             | 1 Phase       |

### Features

- Displays up to (12) 3 gallon ice cream tubs; space beneath to store 10 back-up tubs
- Includes flat-front sneeze guard to prevent contamination but ensure visibility
- Holds temperatures between -15 and 10 degrees Fahrenheit; manual temperature control
- R-290 refrigerant, 115V, 2/3 hp
- Perfect for ice cream shops, dessert bars, and cafeterias
- Note: Only the dipping cabinet holds the ETL certification

### Certifications



5-15P



Customizable




ETL Listed

## Technical Data

|                            |                    |
|----------------------------|--------------------|
| Voltage                    | 115 Volts          |
| Cabinet Type               | Merchandising      |
| Capacity                   | 20.7 cu. ft.       |
| Casters                    | With Casters       |
| Color                      | White              |
| Compressor Location        | Bottom Mounted     |
| Container Display Capacity | 12 Cans            |
| Container Storage Capacity | 10 Cans            |
| Door Style                 | Sliding            |
| Door Type                  | Glass              |
| Features                   | Customizable       |
| Front Style                | Flat               |
| Horsepower                 | 3/5 hp             |
| Plug Type                  | NEMA 5-15P         |
| Refrigerant Type           | R-290              |
| Temperature Range          | -15 - 10 Degrees F |
| Total BTU                  | 1775 BTU           |
| Total Container Capacity   | 22 Cans            |
| Type                       | Dipping Cabinets   |

## Plan View



## Notes & Details

Display, merchandise, and serve a delicious variety of ice cream flavors with this Avantco ADC-12F-HC flat glass ice cream dipping cabinet! Displaying up to (12) 3 gallon ice cream tubs at a time, the unit is perfect for ice cream shops, candy stores, dessert bars, and cafeterias. The frozen storage space beneath the display even provides a convenient place for holding up to 10 back-up tubs, making it a space-efficient unit for businesses with limited space.

Outfitted with a flat-front sneeze guard, the dipping cabinet is perfect for front-of-house applications. Not only does the sneeze guard prevent customers from contaminating the product, but it ensures crystal-clear visibility for merchandising purposes. By showcasing bright, fruity or dark, chocolatey flavors behind the glass, you tempt customers into trying a bite - or a few! A sliding cover also protects the ice cream while helping to retain cold air around the product for a safe holding environment. Because it slides open and closed, it's fast and easy to use, too, which is perfect for those busy rush hours or constant streams of customers in the summer months! The cover also comes equipped with a lid lock to ensure that your ice cream remains protected and temperature controlled.

Featuring a manual control to maintain temperatures from -15 to 10 degrees Fahrenheit, this cabinet ensures that ice cream is held in a proper environment to preserve its quality and consistency. To help achieve this, the robust, bottom-mounted compressor Uses R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Plus, for maximum structural rigidity and temperature retention, the cabinet is foamed-in place using polyurethane insulation.

This unit is white painted steel and built with rounded corners for an attractive, sleek appearance. It requires a 115V electrical connection for operation.



**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).

Avantco Refrigeration