

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO

Granite Top Pizza Prep Tables



IRT-MPG1490 COMBO



IUC-MR93GT COMBO

GENERAL FEATURES

- ✓ **Higher energy efficiency.** R290 refrigerant with electric fans and evaporative tray without electric resistances.
- ✓ **Sanitation.** The interior cabinet is built for easy cleaning. Quick ability to take off shelves and slides for interior cleaning.
- ✓ **Doors.** Self-closing door system with permanent pressure. Stay open feature included when door remain open after 95 degrees. All doors include triple chamber door gaskets, easy to remove and shap in.
- ✓ **Control System.** Greater ability for the adjustment of temperature range as per the end user's requirements.
- ✓ **100% Tested.** All condensing units undergo rigorous testing in helium chambers for refrigerant leak detection and a final equipment test in a state-of-the-art test room.
- ✓ **Certified.** Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.



MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO

Granite Top Pizza Prep Tables

STANDARD FEATURES

> Exterior

- AISI 304 Stainless Steel
- Granite worktop.

> Interior

- AISI 304 Stainless Steel.
- Internal drain plug for easy cleaning.
- Sealed interior floors and rounded cabinet corners.

> Door

- Polyurethane insulated door.
- Self-closing door with stay open feature.
- Stainless Steel heavy-duty hinges.
- Triple chamber snap in door gaskets for easy removal and cleaning.
- Full-height door opening: 14-3/4" x 20-5/8" (375x 526 mm).

> Insulation

- CFC- Free polyurethane insulation, entire cabinet structure is foamed-in using a high-density polyurethane insulation.
- Low GWP & Zero ODP effect.

> Casters

- Diameter casters already installed 7-7/8.
- Locks provided on front set.

> Shelving

- (1) Plastic coated wire shelves per section.
- Set of Stainless- Steel shelf brackets.
- Tray slides can accommodate standard 18" x 26" pans on the IUC-MR67GT COMBO and IUC-MR93GT COMBO models, while the reinforced wire shelves on the IRT-MPG1490 COMBO and IRT-MPG1980 COMBO models can hold 12" x 20" pans on top.
- Easy remove for cleaning.
- Dimensions WxD: 12-51/64" x 20-7/8" (325x530 mm).

OPTIONAL FEATURES

- ✓ Set of 6" legs, height adjustable from 5" to 8".
- ✓ Stainless Steel wire shelves.

✓ Additional slide kits.

✓ Single Overshelf.

✓ Double Overshelf.

✓ Drawer Kit: 25-1/8" x 28-3/8" x 11-3/4.

✓ Electrical connection is 230 V / 1 ph / 50 Hz (Plug type and consumption varies)

IRT-MPG1490: 1.24 A

VIP1490B1/4GLASSTOP: 0.61 A

IRT-MPG1980: 2.48 A

VIP1980B1/4GLASSTOP: 0.61 A

IRT-MR67GT: 2.55 A

VIP1740G: 0.61 A

IRT-MR93GT: 2.55 A

VIP2300G: 0.61 A

> Ingredient Rail

- IRT-MPG1490 / VIP1490B1/4GLASSTOP included.
Top includes 1/4 size stainless steel food pans, (6) pans.
- IRT-MPG1980 / VIP1980B1/4GLASSTOP included.
Top includes 1/4 size stainless steel food pans, (7) pans + 1/2 size stainless steel food pan (1)
- IRT-MR67GT/ VIP1740G included.
Top includes 1/4 size stainless steel food pans, (5) pans + 1/2 size stainless steel food pan (1)
- IRT-MR93GT/ VIP2300G included.
Top includes 1/4 size stainless steel food pans, (9) pans + 1/2 size stainless steel food pan (1)

> Refrigeration

- Digital temperature controller with automatic defrost system.
- Front-breathing refrigeration system.
- Forced air refrigeration system.
- Extractable condensing unit for easy service.
- Evaporator coil coated with anti-corrosion material 100% polyester.
- Refrigeration system independent for table and counter-top ingredients.

ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 – WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE



INFRICO-North America Corporate División
 11200NW 25th St ste 123, Sweetwater. FL, 33172
 (305) 777 9599

www.infrico.us
sales@infrico.com

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
IRT-MR67GTCOMBO / IRT-MR93GTCOMBO

Granite Top Pizza Prep Tables

- Refrigeration capacity:

IRT- MPG1490 - 1510 Btu/h(14°F)/ **443 W(-10°C).**

VIP14901/3C- 600 Btu/h(14°F)/ **176 W(-10°C).**

IRT - MPG1980 - 1510 Btu/h(14°F)/ **621 W(-10°C).**

VIP19801/3C- 600 Btu/h(14°F)/ **176 W(-10°C).**

IRT-MR67GT – 2.126 Btu/h(14°F)/ **623 W(-10°C).**

VIP1740G - 478 Btu/h(14°F)/ **140 W(-10°C).**

IRT-MR93GT – 600 Btu/h(14°F)/ **176 W(-10°C).**

VIP1740G- 600 Btu/h(14°F)/ **176 W(-10°C).**

➤ Electrical

- Cord and NEMA 5-P plug (Prep-table).
- Cord and NEMA 5-15P (Counter- top unit).
- Electrical connection is 115V / 1ph / 60 Hz.



➤ ETL Listed to UL471 Standard and Sanitation classified to NSF7.

Review:01 Date: 11/16/2023 IRT-MPG_MR_COMBO

ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 – WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO

Granite Top Pizza Prep Tables

		Dimensions (inches) (mm)			Doors	Shelves (per door)/ Pans (Ingredient rail)	Ref.	Ref.Weight (Lbs.) (gr.)	Temperature Range (°F) (°C)	Cond. Unit (H.P)	Capacity (Cu.Ft.) (L)	Case Amps 115V	Net weight (Lbs.) (Kg.)
		W	D	H									
IRT- MPG1490 COMBO	Worktop	58-3/4 (1493)	27-1/2 (700)	42-7/8 (1089)	2	2	R290	0,19 (90)	33°F / 43°F (+0°C / +6°C)	1/4	10,77 (305)	3,53	681 309
	Ingredient Rail	58-3/4 (1493)	14 (355,6)	17-1/2 (444)	-	6	R600a	0,1 (45)	30,2°F / 44,6°F (-1°C / +7°C)	1/6	1,30 (37)	1,84	
IRT- MPG1980 COMBO	Worktop	78 (1980)	27-1/2 (700)	42-7/8 (1089)	3	3	R290	0,22 (100)	33°F / 43°F (+0°C / +6°C)	1/4	16,42 (465)	4,76	813 369
	Ingredient Rail	78 (1980)	14 (355,6)	17-1/2 (444)	-	8	R600a	0,12 (55)	30,2°F / 44,6°F (-1°C / +7°C)	1/6	2,36 (67)	1,82	
IRT- MR67-GT COMBO	Worktop	68-7/8 (1751)	32-5/8 (830)	45 (1508)	2	4	R290	0,24 (110)	33°F / 43°F (+0°C / +6°C)	3/8	17 (480)	4,76	955 433
	Ingredient Rail	68-7/8 (1751)	14 (355,6)	17-3/4 (450)	-	6	R600a	0,11 (50)	30,2°F / 44,6°F (-1°C / +7°C)	1/8	1,83 (52)	1,82	
IRT- MR93-GT COMBO	Worktop	93-1/4 (2370)	32-5/8 (830)	44-7/8 (830)	3	6	R290	0,26 (120)	33°F / 43°F (+0°C / +6°C)	1/2	27 (765)	4,76	1260 572
	Ingredient Rail	93-1/4 (2370)	14 (355,6)	17-3/4 (450)	-	10	R600a	0,13 (60)	30,2°F / 44,6°F (-1°C / +7°C)	1/8	2,86 (81)	1,82	


ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 – WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO


Granite Top Pizza Prep Tables

ELEVATION


RIGHT VIEW



IRT-MPG1490 COMBO



PLANT VIEW




ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 – WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO


Granite Top Pizza Prep Tables

ELEVATION




IRT-MPG1980 COMBO

RIGHT VIEW




PLANT VIEW




MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO

Granite Top Pizza Prep Tables


ELEVATION



RIGHT VIEW



PLANT VIEW




ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 - WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE. Review: 01 Date: 11/16/2023 IRT-MPG1490COMBO

MODEL: IRT-MPG1490COMBO/IRT-MPG1980COMBO
 IRT-MR67GTCOMBO / IRT-MR93GTCOMBO


Granite Top Pizza Prep Tables

ELEVATION




IRT-MR93COMBO

RIGHT VIEW



PLANT VIEW



Review:01 Date: 11/16/2023 IRT-MPG_MR_COMBO

ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 - WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE