

297352Q



Aluminium Telescopic
Handle waterfed, w/Q
Coupling (Q), 1600 - 2780
mm, Ø32 mm, Black



This professional telescopic water-fed handle (1600–2840 mm) has an insulated

sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

Technical Data

Item Number	297352Q
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
California Proposition 65 Compliant	No
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	500 Pcs.
Quantity Per Layer (Pallet)	25 Pcs.
Product diameter	1.3 "
Length	63 "
Width	1.3 "
Height	1.2 "
Max. Length	109.4 "
Net Weight	2.2487 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.18 lbs
Tare Total	0.18 lbs
Gross Weight	2.4295 lbs
Cubic Feet	0.0561 ft3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	122 °F
Min. pH-value in usage concentration	4 pH
Max. pH-value in Usage Concentration	11 pH
GTIN-13 Number	5705022973022
GTIN-14 Number (Box quantity)	15705022973029
Customs Tariff No.	76169990
Country of Origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.