



Waterloo 1.15 GPM Deck-Mounted Pre-Rinse Faucet with 4" Centers and 18" Double-Jointed Add-On Faucet

#750PRD418DJ

Item #: 750PRD418DJ Qty: _____
 Project: _____
 Approval: _____ Date: _____



Features

- 44" hose with 1.15 GPM spray valve
- Deck-mounted design with 4" centers and 1/2" NPT inlets
- Quarter-turn ceramic cartridges and check valves for high performance
- Heavy-duty faucet base and spray valve with chrome-plated brass construction
- Includes 18" double-jointed add-on faucet (2 GPM), 18" riser, and 6" wall bracket

Certifications

 CSA, US and Canada  Certified by NSF

 1/2" Water Connection

Technical Data

Hose Length	44 Inches
Add-On Faucet	18 Inches
Add-on Flow Rate	2 GPM
Add-On Type	Double Jointed
Cartridge Type	Ceramic
Faucet Centers	4 Inches
Finish	Chrome
Handle Type	Lever
Material	Brass
Mounting Style	Deck Mounted

Technical Data

Features

ASME A112.18.1-2018 / CSA B125.1-18
BPI Certified
Kosher
NSF Certified
NSF/ANSI 372
NSF/ANSI 61

Mounting Type

Adjustable

Plug Type

NEMA L6-30P

Pre Rinse Unit Type

Hose and Spring

Spout Connection Size

1"-20 UNEF

Spray Valve Flow Rate

1.15 GPM

Temperature Rating

180 Degrees F

Thread Type


NPT

Water Inlet Size


1/2 Inches

Plan View

750NZL18DJ




750AFX



Connections

- 1/2" NPT Inlet
- 1/2" NPT Female Inlet


750PRD4X



Connections

- (2) 1/2" NPT Inlets

750PRRADAPT



Notes & Details

This Waterloo deck-mounted pre-rinse faucet with 4" centers is perfect for rinsing excess food and sauces off of your dishes prior to running them through your commercial dish machine. A quality pre-rinse unit is vital to any dishroom, removing the heaviest soil deposits so that dishes come out clean and ready to use. Waterloo products provide the industry-leading quality you expect. With heavy chrome-plated brass faucet bodies, ceramic cartridges engineered for durability, and certifications from a wide range of national and local regulatory agencies, you can install Waterloo products with confidence.

A long, 23" flexible hose gives you plenty of reach to deliver water where you need it, letting you handle glassware and dinnerware, or bulky items like pots and pans. The spring has a compressed bottom to provide greater durability and help it retain its shape. The spray valve delivers a flow rate of 1.15 GPM, giving you the power needed to blast away food debris while being easy on your water bill. The heavy-duty valve body is designed with a comfort-grip handle and uses metal components for maximum durability and leak protection. This pre-rinse unit also comes with a double-jointed 18" (12" back, 6" front) add-on faucet, for times when you need a normal faucet instead of a spray valve. It is perfect for filling up sink compartments to complete your warewashing tasks or mixing up cleaning solutions in sanitation pails. This double-jointed spout offers additional versatility over a swing spout because you can rotate each section independently, and fold it to the side to make way for especially large or bulky items. It comes with a 2 GPM aerator at the outlet, which helps to regulate the stream and reduce splashing.

This faucet uses ceramic cartridges, which provide a much lower fail rate than the compression cartridges widely used in the industry. In this design, 2 ceramic discs fit together to create a watertight seal when closed, removing the need for a rubber seat washer, which is one of the most frequently replaced parts on a faucet. This is a deck-mounted faucet, and it comes with 4" adjustable centers that make installation easy. A set of 1/2" NPT inlets make it easy to connect it to your facility's water lines. This pre-rinse unit comes with an 18" riser and a 6" wall bracket to help secure the unit to the wall for added stability.

 **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.