



## Waterloo 1.15 GPM Deck-Mounted Pre-Rinse Faucet with 4" Centers and 8" Add-On Faucet

#750PRD48

Item #: 750PRD48 Qty: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 Approval: \_\_\_\_\_ Date: \_\_\_\_\_



### Features

- 44" hose with 1.15 GPM spray valve
- Deck-mounted design with 4" centers and 1/2" NPT inlets
- Quarter-turn ceramic cartridges and check valves for high performance
- Heavy-duty faucet base and spray valve with chrome-plated brass construction
- Includes 8" add-on faucet (2 GPM), 18" riser, and 6" wall bracket

### Certifications

 CSA, US and Canada  Certified by NSF

 1/2" Water Connection

### Technical Data


|                  |              |
|------------------|--------------|
| Hose Length      | 44 Inches    |
| Add-On Faucet    | 8 Inches     |
| Add-on Flow Rate | 2 GPM        |
| Add-On Type      | Swing        |
| Cartridge Type   | Ceramic      |
| Faucet Centers   | 4 Inches     |
| Finish           | Chrome       |
| Handle Type      | Lever        |
| Material         | Brass        |
| Mounting Style   | Deck Mounted |

Technical Data

|                       |                                                                                                                |
|-----------------------|----------------------------------------------------------------------------------------------------------------|
| Features              | ASME A112.18.1-2018 / CSA B125.1-18<br>BPI Certified<br>Kosher<br>NSF Certified<br>NSF/ANSI 372<br>NSF/ANSI 61 |
| Mounting Type         | Adjustable                                                                                                     |
| Plug Type             | NEMA L6-30P                                                                                                    |
| Pre Rinse Unit Type   | Hose and Spring                                                                                                |
| Spout Connection Size | 1"-20 UNEF                                                                                                     |
| Spray Valve Flow Rate | 1.15 GPM                                                                                                       |
| Temperature Rating    | 180 Degrees F                                                                                                  |
| Thread Type           | NPT                                                                                                            |
| Water Inlet Size      | 1/2 Inches                                                                                                     |

Plan View


750AF8



Connections

- a 1/2" NPT Inlet
- b 3/8" NPT Female Inlet


750PRD4X



Connections

- a (2) 1/2" NPT Inlets

750PRRADAPT



# Notes & Details

This Waterloo deck-mounted pre-rinse faucet with 4" centers is perfect for rinsing excess food and sauces off of your dishes prior to running them through your commercial dish machine. A quality pre-rinse unit is vital to any dishroom, removing the heaviest soil deposits so that dishes come out clean and ready to use. Waterloo products provide the industry-leading quality you expect. With heavy chrome-plated brass faucet bodies, ceramic cartridges engineered for durability, and certifications from a wide range of national and local regulatory agencies, you can install Waterloo products with confidence.

A long, 44" flexible hose gives you plenty of reach to deliver water where you need it, letting you handle glassware and dinnerware, or bulky items like pots and pans. The spring has a compressed bottom to provide greater durability and help it retain its shape. The spray valve delivers a flow rate of 1.15 GPM, giving you the power needed to blast away food debris while being easy on your water bill. The heavy-duty valve body is designed with a comfort-grip handle and uses metal components for maximum durability and leak protection. This pre-rinse unit also comes with an 8" add-on faucet, for times when you need a normal faucet instead of a spray valve. It is perfect for filling up sink compartments to complete your warewashing tasks. It's also great for mixing up cleaning solutions in sanitation pails.

This faucet uses ceramic cartridges, which provide a much lower fail rate than the compression cartridges widely used in the industry. In this design, 2 ceramic discs fit together to create a watertight seal when closed, removing the need for a rubber seat washer, which is one of the most frequently replaced parts on a faucet. This is a deck-mounted faucet, and it comes with 4" adjustable centers that make installation easy. A set of 1/2" NPT inlets make it easy to connect it to your facility's water lines. This pre-rinse unit comes with an 18" riser and a 6" wall bracket to help secure the unit to the wall for added stability.

 **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).