



Waterloo 1.15 GPM Deck-Mounted Pre-Rinse Faucet with Single Base and 8" Add-On Faucet

#750PRD8

Item #: 750PRD8 Qty: _____
 Project: _____
 Approval: _____ Date: _____



Features

- 44" hose with 1.15 GPM spray valve
- Deck-mounted design with single base, 1/2" NPS inlets, and 20" water lines included
- Quarter-turn ceramic cartridges and check valves for high performance
- Heavy-duty faucet base and spray valve with chrome-plated brass construction
- Includes 8" add-on faucet (2 GPM), 18" riser, and 6" wall bracket

Certifications

 CSA, US and Canada  Certified by NSF

 1/2" Water Connection

Technical Data

Hose Length	44 Inches
Add-On Faucet	8 Inches
Add-on Flow Rate	2 GPM
Add-On Type	Swing
Cartridge Type	Ceramic
Faucet Centers	Single
Finish	Chrome
Handle Type	Lever
Material	Brass
Mounting Style	Deck Mounted

Technical Data

Features

ASME A112.18.1-2018 / CSA B125.1-18
BPI Certified
Kosher
NSF Certified
NSF/ANSI 372
NSF/ANSI 61

Plug Type

NEMA L6-30P

Pre Rinse Unit Type

Hose and Spring

Spout Connection Size

1"-20 UNEF

Spray Valve Flow Rate

1.15 GPM

Temperature Rating

180 Degrees F

Thread Type


NPS

Water Inlet Size

1/2 Inches

Plan View


750AF8



Connections


- a 1/2" NPT Inlet
- b 3/8" NPT Female Inlet

750PRDX



- Connections
- a Single inlet base
 - b (2) 1/2" NPT inlets on 20" flexible hoses

750PRRADAPT



Notes & Details

This Waterloo deck-mounted pre-rinse faucet is perfect for rinsing excess food and sauces off of your dishes prior to running them through your commercial dish machine. A quality pre-rinse unit is vital to any dishroom, removing the heaviest soil deposits so that dishes come out clean and ready to use. Waterloo products provide the industry-leading quality you expect. With heavy chrome-plated brass faucet bodies, ceramic cartridges engineered for durability, and certifications from a wide range of national and local regulatory agencies, you can install Waterloo products with confidence.

A 44" long flexible hose gives you plenty of reach to deliver water where you need it, letting you handle glassware and dinnerware, or bulky items like pots and pans. The spring has a compressed bottom to provide greater durability and help it retain its shape. The spray valve delivers a flow rate of 1.15 GPM, giving you the power needed to blast away food debris while being easy on your water bill. The heavy-duty valve body is designed with a comfort-grip handle and uses metal components for maximum durability and leak protection. This pre-rinse unit also comes with an 8" add-on faucet, for times when you need a normal faucet instead of a spray valve. It is perfect for filling up sink compartments to complete your warewashing tasks. It's also great for mixing up cleaning solutions in sanitation pails.

This faucet uses ceramic cartridges, which provide a much lower fail rate than the compression cartridges widely used in the industry. In this design, 2 ceramic discs fit together to create a watertight seal when closed, removing the need for a rubber seat washer, which is one of the most frequently replaced parts on a faucet. This is a deck-mounted faucet, and it comes with a single base that makes installation easy. The 1/2" NPS inlet connections, and a set of 20" flex hoses make it easy to connect it to your facility's water lines. This pre-rinse unit comes with an 18" riser and a 6" wall bracket to help secure the unit to the wall for added stability.

 **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.