



Waterloo 1.15 GPM Low Profile Wall-Mounted Pre-Rinse Faucet with 8" Centers

#750PRWL8X

Item #: 750PRWL8X Qty: _____

Project: _____

Approval: _____ Date: _____



Features

- 23" hose with 1.15 GPM spray valve
- Wall-mounted design with 8" adjustable centers and 1/2" NPT inlets
- Quarter-turn ceramic cartridges and check valves for high performance
- Heavy-duty faucet base and spray valve with chrome-plated brass construction
- Includes 10" riser and 6" wall bracket with low profile for height-restricted areas

Certifications

 CSA, US and Canada  Certified by NSF

 1/2" Water Connection


Technical Data

Hose Length	23 Inches
Faucet Height	20 1/2 Inches
Add-On Faucet	None
Cartridge Type	Ceramic
Faucet Centers	8 Inches
Finish	Chrome
Handle Type	Lever
Material	Brass
Mounting Style	Wall Mounted
Mounting Type	Adjustable

Technical Data	
Features	ASME A112.18.1-2018 / CSA B125.1-18 BPI Certified Kosher NSF Certified NSF/ANSI 372 NSF/ANSI 61
Plug Type	NEMA L6-30P
Pre Rinse Unit Type	Mini Pre-Rinse Faucets
Spray Valve Flow Rate	1.15 GPM
Temperature Rating	180 Degrees F
Thread Type	NPT
Water Inlet Size	1/2 Inches

Plan View

750PRWL8X 750PRWL8XLF



Notes & Details

Optimize your washing station with the Waterloo wall-mounted low profile pre-rinse faucet with 8" centers and spray valve. This Waterloo wall-mounted pre-rinse faucet is perfect for rinsing excess food and sauces off of your dishes prior to running them through your commercial dish machine. A quality pre-rinse unit is vital to any dish room, removing the heaviest soil deposits so that dishes come out clean and ready to use. Waterloo products provide the industry-leading quality you expect. With heavy chrome-plated brass faucet bodies, ceramic cartridges engineered for durability, and certifications from a wide range of national and local regulatory agencies, you can install Waterloo products with confidence.

This unit is intended for applications that provide water for warewashing and janitorial or utility use. A 23" long flexible hose gives you plenty of reach to deliver water where you need it, letting you handle glassware and dinnerware, or bulky items like pots and pans. Installed on 8" centers, this faucet also has a heavy-duty body that can withstand long-lasting use. The spray valve delivers a flow rate of 1.15 GPM, giving you the power needed to blast away food debris while being easy on your water bill. This faucet uses ceramic cartridges, which provide a much lower fail rate than the compression cartridges widely used in the industry. In this design, 2 ceramic discs fit together to create a watertight seal when closed, removing the need for a rubber seat washer, which is one of the most frequently replaced parts on a faucet. Great for height-restricted installations, this low-profile pre-rinse unit comes with a 10" riser and a 6" wall bracket to help secure the unit to the wall for added stability. Required installation kits are sold separately.

 **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.